

CLAIMS

We claim:

- 1 1. A method, comprising:
2 arranging for a first user to monitor a remote location;
3 transmitting to the first user, while the user is supposed to be monitoring
4 the remote location, a test image of the remote location, the test image being an
5 image of a fabricated breach of security of the remote location, without informing
6 the first user that the breach of security is fabricated;
7 determining whether the first user recognizes the breach of security in the
8 test image; and
9 determining an attentiveness of the first user based on whether the first user
10 recognizes the breach of security in the test image.
- 1 2. The method of claim 1, further comprising:
2 penalizing the first user if it is determined that the first user does not
3 recognize the breach of security in the test image.
- 1 3. The method of claim 2, wherein penalizing the first user comprises:
2 causing a rating associated with the first user to be lowered.
- 1 4. The method of claim 3, further comprising:
2 causing a communication link between a device of the first user and
3 another device facilitating the monitoring of the remote location to be disabled as a
4 consequence of the lowered rating.
- 1 5. The method of claim 2, wherein penalizing the first user comprises:
2 preventing the first user from monitoring remote locations in the
3 future.

- 1 6. The method of claim 2, wherein penalizing the first user comprises:
2 preventing a payment for the monitoring of the remote location
3 from being provided to the first user.
- 1 7. The method of claim 2, wherein penalizing the first user comprises:
2 lowering a pay rate based on which the first user is to be paid for the
3 monitoring of the remote location.
- 1 8. The method of claim 1, wherein determining whether the first user
2 recognizes the breach of security comprises:
3 determining whether the first user responds to the test image within
4 a predetermined period of time.
- 1 9. The method of claim 1, wherein determining whether the first user
2 recognizes the apparent breach of security comprises:
3 determining a response of the first user to the test image; and
4 determining whether the response indicates that the first user
5 recognizes the apparent breach of security of the remote location.
- 1 10. The method of claim 1, wherein determining whether the first user
2 recognizes the apparent breach of security comprises:
3 determining whether the first user notifies a predetermined entity of the
4 apparent breach of security of the remote location.
- 1 11. The method of claim 1, further comprising:
2 storing an indication of whether the first user recognized the
3 apparent breach of security of in the test image.
- 1 12. The method of claim 1, further comprising:
2 arranging for a second user to monitor the remote location if it is
3 determined that the first user did not recognize the apparent breach of security of
4 the remote location.

- 1 13. The method of claim 12, wherein arranging for a second user comprises:
2 arranging for a second user to replace the first user, thereby arranging for
3 the second user to monitor the remote location instead of the first user monitoring
4 the remote location.
- 1 14. The method of claim 1, further comprising:
2 determining whether to transmit the test image to the first user.
- 1 15. The method of claim 14, wherein determining whether to transmit the test
2 image to the first user comprises:
3 determining a duration of time since a previous test image of a fabricated
4 apparent breach of security of the remote location was transmitted to the first user;
5 and
6 determining whether the duration of time is at least equal to a minimum
7 duration of time.
- 1 16. The method of claim 1, wherein arranging for a first user to monitor a
2 remote location comprises:
3 obtaining, at a server and from a sensor located at a remote location, an
4 image of the remote location; and
5 forwarding the image to a device associated with the first user.
- 1 17. An apparatus comprising:
2 a processor; and
3 a storage device that stores a program for directing the processor;
4 the processor being operative with the program to:
5 perform the method of claim 1.
- 1 18. A computer readable medium encoded with instructions for directing a
2 processor to:
3 perform the method of claim 1.

1 19. A method, comprising: /
2 establishing communication link between a server and a device of a user;
3 arranging for the user to monitor a remote location via the communication
4 link by transmitting images of the remote location to the device of the user during a
5 monitoring session;
6 testing, during the monitoring session, attentiveness of the user by
7 transmitting to the device of the user at least one of a plurality of test images of the
8 remote location,
9 each test image being an image of a respective fabricated breach of
10 security of the remote location;
11 determining whether the user responds appropriately to the at least one test
12 image;
13 penalizing the user if the user does not respond appropriately to the at least
14 one test image; and
15 causing, based on the user's performance during the monitoring session, a
16 payment to be provided to the user.

1 20. The method of claim 19, wherein testing comprises:
2 transmitting, at random intervals during the monitoring session, at least one
3 test image,
4 wherein the at least one test image transmitted at a given interval is
5 of one of the fabricated breaches of security of the remote location.

1 21. The method of claim 19, wherein testing comprises:
2 transmitting, periodically during the monitoring session, at least one test
3 image,
4 wherein the at least one test image transmitted at a given time is of
5 one of the fabricated breaches of security of the remote location.

1 22. The method of claim 19, wherein penalizing the user comprises:
2 causing a rating associated with the user to be lowered.

- 1 23. The method of claim 22, further comprising:
2 causing the communication link to be disabled.
- 1 24. The method of claim 19, wherein penalizing the user comprises:
2 preventing the user from monitoring remote locations in the future.
- 1 25. The method of claim 19, wherein penalizing the user comprises:
2 preventing the payment for the monitoring session from being
3 provided to the user.
- 1 26. The method of claim 19, wherein penalizing the user comprises:
2 lowering a pay rate based on which the user is to be paid for the
3 monitoring session.
- 1 27. The method of claim 19, wherein penalizing the user comprises:
2 lowering a pay rate based on which the user is to be paid for future
3 monitoring sessions.
- 1 28. An apparatus, comprising:
2 a processor; and
3 a storage device that stores a program for directing the processor;
4 the processor being operative with the program to:
5 perform the method of claim 19.
- 1 29. A computer readable medium encoded with instructions for directing a
2 processor to:
3 perform the method of claim 19.